according to Regulation (EC) No 1907/2006

	Perfekt						
Revision date: 18.01.2024	G440	Page 1 of 12					
SECTION 1: Identification of the substance/mixture and of the company/undertaking							
<u>1.1. Product identifier</u> Perfekt							
UFI:	5830-E01P-C002-YQ7U						
1.2. Relevant identified uses of	the substance or mixture and uses ad	vised against					
Use of the substance/mixtur EuPCS: PC-CLN-2 All-pu areas Process categories [PRO	rpose (or multi-purpose) non-abrasive cl	eaners, PC-CLN-10.1 Cleaners for kitchen					
1.3. Details of the supplier of th							
Company name: Street:	BUZIL-WERK Wagner GmbH & Fraunhofer Str. 17	Co. KG					
Place:	D-87700 Memmingen						
Telephone: e-mail: Contact person: Internet:	+49 (0) 8331 930-6 info@buzil.de info@buzil.de www.buzil.com	Telefax: +49 (0) 8331 930-880					
<u>1.4. Emergency telephone</u> number:	+49 (0) 8331 930-6 (08:00 - 16:0	00 h)					

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling Sodium hydroxide

Signal word:

Pictograms:



Hazard statements

H290	May be corrosive to metals.
H318	Causes serious eye damage.

Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
1 303 11 331 11 338	
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The inhalation of dust/mist or aerosols causes irritation of the respiratory tract.



according to Regulation (EC) No 1907/2006

	Perfekt
Revision date: 18.01.2024	G440

Page 2 of 12

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
7320-34-5	Tetrapotassium pyrophosphate			5 - < 10 %
	230-785-7		01-2119489369-18	
	Eye Irrit. 2; H319		·	
15763-76-5	Sodium p-cumenesulphonate			1 - < 5 %
	239-854-6		01-2119489411-37	
	Eye Irrit. 2; H319			
26183-52-8	Decan-1-ol, ethoxylated	1 - < 5 %		
	Acute Tox. 4, Eye Dam. 1; H302 H			
68411-30-3	Sodium dodecyl benzene sulfonate	1 - < 5 %		
	270-115-0		01-2119489428-22	
	Acute Tox. 4, Skin Irrit. 2, Eye Dan			
1310-73-2	Sodium hydroxide	< 1 %		
	215-185-5	011-002-00-6	01-2119457892-27	
	Met. Corr. 1, Skin Corr. 1A, Eye Da			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Cond	c. Limits, M-factors and ATE	
7320-34-5	230-785-7	Tetrapotassium pyrophosphate	5 - < 10 %
	dermal: LD5) = > 7940 mg/kg; oral: LD50 = > 2000 mg/kg	
15763-76-5	239-854-6	Sodium p-cumenesulphonate	1 - < 5 %
	dermal: LD5) = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg	
26183-52-8		Decan-1-ol, ethoxylated	1 - < 5 %
	dermal: LD5) = > 2000 mg/kg; oral: LD50 = 500 mg/kg Eye Dam. 1; H318: >= 20 - 100	
68411-30-3	270-115-0	Sodium dodecyl benzene sulfonate	1 - < 5 %
	dermal: LD5) = > 2000 mg/kg; oral: LD50 = 500 mg/kg	
1310-73-2	215-185-5	Sodium hydroxide	< 1 %
		0 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg Skin Corr. 1A; H314: >= 5 - 100 ; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2	

Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % phosphates, < 5 % non-ionic surfactants, < 5 % anionic surfactants, perfumes (Linalool).

SECTION 4: First aid measures


4.1. Description of first aid measures


General information

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air.





Suitable extinguishing media

Water spray jet alcohol resistant foam Carbon dioxide Extinguishing powder

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon dioxide Carbon monoxide

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Use personal protection equipment. Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

according to Regulation (EC) No 1907/2006

	rding to Regulation (EC) No 1907/2006	
	Perfekt	
Revision date: 18.01.2024	G440	Page 4 of 12
Other information		
Collect in closed and suitable containers for Ventilate affected area.	disposal.	
6.4. Reference to other sections		
Personal protection equipment: see section Disposal: see section 13	8	
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Advice on safe handling Avoid contact with skin, eyes and clothes. Do not mix with other chemicals. Use personal protection equipment. When using do not eat, drink or smoke. If extensively sprayed or used with high press Do not breathe gas/fumes/vapour/spray. Use only in well-ventilated areas.		
Advice on protection against fire and explosion No special fire protection measures are nec		
Advice on general occupational hygiene Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink or smoke.		
Further information on handling Absorb spillage to prevent material damage.		
7.2. Conditions for safe storage, including any in	<u>compatibilities</u>	
Requirements for storage rooms and vessels Keep container tightly closed. Keep/Store only in original container.		
Hints on joint storage No special measures are necessary.		
Further information on storage conditions No further relevant information available.		
7.3. Specific end use(s)		
Cleaning agent		
SECTION 8: Exposure controls/personal pro	tection	
8.1. Control parameters Additional advice on limit values		
No information available.		
8.2. Exposure controls		

Appropriate engineering controls No information available.



according to Regulation (EC) No 1907/2006

	Perfekt	
Revision date: 18.01.2024	G440	Page 5 of 12

Eye/face protection

Wear eye/face protection. (EN 166)

Hand protection

Wear suitable gloves. (EN 374, Category III)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Suitable material: NBR (Nitrile rubber) / Thickness of the glove material > 0,1 mm

Diluted ready-to-use solutions <=1%:

Protective gloves may be waived, if equivalent measures allowing for an increased skin stress because of wet work are implemented (e. g. application of suitable skin protecting creams).

Skin protection

Wear suitable work clothing.

Respiratory protection

If extensively sprayed or used with high pressure equipment: combination filter A1/P2 (EN 143, EN 14387).

Thermal hazards

No further relevant information available.

Environmental exposure controls

Section 6: Accidental Release Measures

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

	Physical state:	Liquid	
	Colour:	yellow - green	
	Odour:	Perfumes, fragrances	
			Test method
	Melting point/freezing point:	approx. 0 °C	
	Boiling point or initial boiling point and	approx. 100 °C	
	boiling range:		
	Flammability:	not applicable	
	Lower explosion limits:	not determined	
	Upper explosion limits:	not determined	
	Flash point:	not applicable	
	Auto-ignition temperature:	not determined	
	Decomposition temperature:	not applicable	
	pH-Value (at 20 °C):	13,0 - 14,0	
	Viscosity / kinematic:	not determined	
	(at 40 °C)		
	Water solubility:	completely miscible	
	(at 20 °C)		
	Solubility in other solvents		
	not determined		
	Partition coefficient n-octanol/water:	not applicable	
	Vapour pressure:	not determined	
	Density (at 20 °C):	1,10 g/cm³	
	Relative density:	not determined	
	Relative vapour density:	not determined	
	Particle characteristics:	not relevant	
<u>9.</u>	2. Other information		

Other safety characteristics




according to Regulation (EC) No 1907/2006

	Perfekt		
Revision date: 18.01.2024	G440		Page 6 of 12
Viscosity / dynamic:		< 10 mPa·s (50 1/s)	
(at 25 °C)			
No information available.			
SECTION 10: Stability and reactivity			
10.1. Reactivity			
Corrosive to metals.			
Exothermic reaction with: Acid			
10.2. Chemical stability			
The product is stable under storage at no	rmal ambient temperatures.		
10.3. Possibility of hazardous reactions			
Corrosive to metals.			
Exothermic reaction with: Acid			
10.4. Conditions to avoid			
The product is stable under storage at no	rmal ambient temperatures.		
10.5. Incompatible materials			
Corrosive to metals.			
Acid			
10.6. Hazardous decomposition products			
No known hazardous decomposition prod	ucts.		
SECTION 11: Toxicological information			
..			

Acute toxicity

Based on available data, the classification criteria are not met.







Revision date: 18.01.2024

Perfekt G440

Page 7 of 12

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7320-34-5	Tetrapotassium pyroph	osphate				
	oral	LD50 mg/kg	> 2000	Rat		
	dermal	LD50 mg/kg	> 7940	Rabbit		
15763-76-5	Sodium p-cumenesulph	onate				
	oral	LD50 mg/kg	> 2000	Rat		
	dermal	LD50 mg/kg	> 2000	Rabbit		
26183-52-8	Decan-1-ol, ethoxylated	1				
	oral	LD50 mg/kg	500	Rat		
	dermal	LD50 mg/kg	> 2000	Rat		
68411-30-3	Sodium dodecyl benzer	ne sulfonate				
	oral	LD50 mg/kg	500	Rat		
	dermal	LD50 mg/kg	> 2000	Rat		
1310-73-2	Sodium hydroxide					
	oral	LD50 mg/kg	> 2000	Rat	ATE	
	dermal	LD50 mg/kg	> 2000	Rat	ATE	

Irritation and corrosivity

Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Other information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

Perfekt G440



Revision date: 18.01.2024

Page 8 of 12

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7320-34-5	Tetrapotassium pyrophosphate						
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Oncorhynchus mykiss (Rainbow trout)		OECD 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus		OECD 201
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna (Big water flea)		OECD 202
	Fish toxicity	NOEC	100 mg/l	4 d	Oncorhynchus mykiss (Rainbow trout)		OECD 203
	Algae toxicity	NOEC mg/l	> 100	3 d	Desmodesmus subspicatus		OECD 201
	Crustacea toxicity	NOEC	100 mg/l	2 d	Daphnia magna (Big water flea)		
15763-76-5	Sodium p-cumenesulphor	nate					
	Acute fish toxicity	LC50 mg/l	> 100	96 h			
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus		
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna (Big water flea)		
	Algae toxicity	NOEC	31 mg/l	4 d			
26183-52-8	Decan-1-ol, ethoxylated						
	Acute algae toxicity	ErC50 mg/l	19,6	72 h			OECD 201
	Acute crustacea toxicity	EC50 mg/l	15,0	48 h			OECD 202
68411-30-3	Sodium dodecyl benzene	sulfonate					
	Acute fish toxicity	LC50	> 1 mg/l	96 h			
	Acute algae toxicity	ErC50	> 1 mg/l				
	Acute crustacea toxicity	EC50	> 1 mg/l	48 h			
1310-73-2	Sodium hydroxide						
	Acute fish toxicity	LC50	125 mg/l	96 h	Gambusia affinis (Mosquito fish)		
	Acute crustacea toxicity	EC50 mg/l	40,4	48 h	Ceriodaphnia spec		

12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
15763-76-5	Sodium p-cumenesulphonate			
	OECD 301 B	> 60 %	28	
	Readily biodegradable (according to OECD criteria).			
26183-52-8	Decan-1-ol, ethoxylated			
	OECD 301 B	> 60 %	28	
	Readily biodegradable (according to OECD criteria).			

12.3. Bioaccumulative potential



according to Regulation (EC) No 1907/2006

	Perfekt	
Revision date: 18.01.2024	G440	Page 9 of 12

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
7320-34-5	Tetrapotassium pyrophosphate	-2
15763-76-5	Sodium p-cumenesulphonate	-1,1

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Delivery to an approved waste disposal company.

List of Wastes Code - residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors; hazardous waste

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1824
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION
<u>14.3. Transport hazard class(es):</u>	8
14.4. Packing group:	111
Hazard label:	8
Classification code:	C5
Limited quantity:	5 L
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 1824
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION

according to Regulation (EC) No 1907/2006



Revision date: 18.01.2024	Perfekt G440	Page 10 of 12
14.3. Transport hazard class(es):	8	
<u>14.4. Packing group:</u> Hazard label:	III 8	
Classification code:	C5	
Limited quantity:	5 L	
Marine transport (IMDG)		
14.1. UN number or ID number:		
14.2. UN proper shipping name:	SODIUM HYDROXIDE, SOLUTION 8	
<u>14.3. Transport hazard class(es):</u> 14.4. Packing group:	8 	
Hazard label:	8	
Special Provisions:	223	
Limited quantity:	5 L	
EmS:	F-A, S-B	
Segregation group:	18 - alkalis	
Air transport (ICAO-TI/IATA-DGR) <u>14.1. UN number or ID number:</u>	UN 1824	
14.2. UN proper shipping name:	SODIUM HYDROXIDE, SOLUTION	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8 B	
Special Provisions:	A3 A803	
Limited quantity Passenger:	1L	
IATA-packing instructions - Passenger: IATA-max. quantity - Passenger:	852 5 L	
IATA-max. quantity - Passenger. IATA-packing instructions - Cargo:	856	
IATA-max. quantity - Cargo:	60 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
 <u>14.6. Special precautions for user</u> No special measures are necessary. <u>14.7. Maritime transport in bulk according t</u> not applicable 	o IMO instruments	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental requ	lations/legislation specific for the substance or mixture	
EU regulatory information		

Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 2010/75/EU (VOC):

< 0,2 %

according to Regulation (EC) No 1907/2006

	Perfekt	
Revision date: 18.01.2024	G440	Page 11 of 12
Additional information		
Regulation (EC) No. 648/2004 [Dete	rgents regulation]	
National regulatory information		

1 - slightly hazardous to water

Chemical safety assessments for substances in this mixture were not carried out.

This data sheet contains changes from the previous version in section(s): 2,9,15.

ADR: Accord européen sur le transport des marchandises dangereuses par Route

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

IMDG: International Maritime Code for Dangerous Goods

ELINCS: European List of Notified Chemical Substances

IATA: International Air Transport Association

CAS: Chemical Abstracts Service LC50: Lethal concentration. 50%

LD50: Lethal dose, 50%

assessment, chapter R.12: PROC 1: Use in closed processes.

PROC 7: Industrial spraying

cleaning, foam gun).

agents.

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

Process categories according to ECHA guidance on information requirements and chemical safety

PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing

PROC 9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e.g. high pressure

Relevant H and EUH statements (number and full text)

PROC 13: Treatment of articles by dipping and pouring

processes with equivalent containment conditions

- H290 May be corrosive to metals. H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.

PROC 4: Chemical production where opportunity for exposure arises

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H412 Harmful to aquatic life with long lasting effects.

Further Information

Water hazard class (D):

Changes

15.2. Chemical safety assessment

SECTION 16: Other information

Abbreviations and acronyms

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9 (1)

In devation from REGULATION (EC) No 1272/2008, annex I part 2 and 3, the assessment of skin and eye corrosion and irritation was performed by in-vitro-testing of the product and/or the principles of annex I, part 1.1.0.



according to Regulation (EC) No 1907/2006

Perfekt	
G440	Page 12 of 12

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)