according to Regulation (EC) No 1907/2006



# Bucasan®+ Intense

Revision date: 28.11.2024

P922

Page 1 of 11

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Bucasan®+ Intense

UFI:

9ET0-0043-C00R-NSKG

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

EuPCS: PC-CLN-11.1 Bathroom cleaners, PC-CLN-11.2 Toilet cleaners Process categories [PROC]: 8, 10 Restricted to professional users.

## 1.3. Details of the supplier of the safety data sheet

Company name:	BUZIL-WERK Wagner GmbH & Co. KG	
Street:	Fraunhofer Str. 17	
Place:	D-87700 Memmingen	
Telephone:	+49 (0) 8331 930-6	Telefax: +49 (0) 8331 930-880
E-mail:	info@buzil.de	
Contact person:	info@buzil.de	
Internet:	www.buzil.com	
1.4. Emergency telephone	+49 (0) 8331 930-6 (08:00 - 16:00 h)	

number:

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Corr. 1; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

## Regulation (EC) No 1272/2008

# Hazard components for labelling

Methanesulphonic acid

Signal word:

Pictograms:

Danger

## Hazard statements

H290 H314	May be corrosive to metals. Causes severe skin burns and eye damage.
Precautionary stateme	nts
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor



# Bucasan®+ Intense

Revision date: 28.11.2024

P922

Page 2 of 11

# 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation	on (EC) No 1272/2008)	-		
77-92-9	citric acid			10 - < 15 %	
	201-069-1				
	Eye Irrit. 2, STOT SE 3; H319 H335				
75-75-2	Methanesulphonic acid	1 - < 5 %			
	200-898-6	607-145-00-4	01-2119491166-34		
	Met. Corr. 1, Acute Tox H302 H314 H318 H335				
26183-52-8	Decan-1-ol, ethoxylated	1 - < 5 %			
	Acute Tox. 4, Eye Dam				

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
77-92-9	201-069-1	citric acid	10 - < 15 %
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = 5400 mg/kg		
75-75-2	200-898-6	Methanesulphonic acid	1 - < 5 %
	dermal: LD50 = > 1000 mg/kg; oral: LD50 = 649 mg/kg		
26183-52-8		Decan-1-ol, ethoxylated	1 - < 5 %
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = 500 mg/kg	

## Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants, < 5 % phosphonates, perfumes.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **General information**

Remove contaminated, saturated clothing immediately.

## After inhalation

Provide fresh air.

# After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse.

## After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

## After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

according to Regulation (EC) No 1907/2006

# Bucasan®+ Intense

Revision date: 28.11.2024

P922

Page 3 of 11

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

#### Suitable extinguishing media

Water spray jet alcohol resistant foam Carbon dioxide Extinguishing powder

## Unsuitable extinguishing media

Full water jet

# 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon dioxide Carbon monoxide

# 5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

# Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

#### **General advice**

Use personal protection equipment. Avoid contact with skin, eyes and clothes.

## For non-emergency personnel

Ventilate affected area.

# For emergency responders

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

# 6.3. Methods and material for containment and cleaning up

## For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

## For cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

## Other information

Collect in closed and suitable containers for disposal.

Ventilate affected area.

## 6.4. Reference to other sections

Personal protection equipment: see section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

## Advice on safe handling

Avoid contact with skin, eyes and clothes.

according to Regulation (EC) No 1907/2006

# Bucasan®+ Intense

Revision date: 28.11.2024

P922

Page 4 of 11

6

Do not mix with other chemicals. Use personal protection equipment. When using do not eat or drink.

Advice on protection against fire and explosion No special fire protection measures are necessary.

# Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

## Further information on handling

Absorb spillage to prevent material damage.

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed. Keep/Store only in original container.

## Hints on joint storage

No special measures are necessary.

## Further information on storage conditions

No further relevant information available.

# 7.3. Specific end use(s)

Cleaning agent

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# **PNEC** values

CAS No	Name of agent				
Environmental of	compartment	Value			
75-75-2	Methanesulphonic acid				
Freshwater		0,012 mg/l			
Marine water		0,0012 mg/l			

## Additional advice on limit values

No information available.

## 8.2. Exposure controls



# Appropriate engineering controls

No information available.

Individual protection measures, such as personal protective equipment

## Eye/face protection

Wear eye protection/face protection. (EN 166)

## Hand protection

Wear suitable gloves. (EN 374, Category III)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Suitable material: NBR (Nitrile rubber) / Thickness of the glove material > 0,1 mm

according to Regulation (EC) No 1907/2006

# Bucasan®+ Intense

Revision date: 28.11.2024

P922

Page 5 of 11

nta

pla

Diluted ready-to-use solutions <=1%:

Protective gloves may be waived, if equivalent measures allowing for an increased skin stress because of wet work are implemented (e. g. application of suitable skin protecting creams).

## Skin protection

Wear suitable work clothing.

# **Respiratory protection**

Usually no personal respirative protection necessary.

#### Thermal hazards

No further relevant information available.

## **Environmental exposure controls**

Section 6: Accidental Release Measures

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

	Physical state:	Liquid		
	Colour:	pink - red		
	Odour:	Perfumes, fragrances		
				Test method
	Melting point/freezing point:		approx. 0 °C	
	Boiling point or initial boiling point and		approx. 100 °C	
	boiling range:			
	Flammability:		not applicable	
	Lower explosion limits:		not determined	
	Upper explosion limits:		not determined	
	Flash point:		not applicable	
	Auto-ignition temperature:		not determined	
	Decomposition temperature:		not applicable	
	pH-Value (at 20 °C):		0 - 0,5	
	Viscosity / kinematic: (at 40 °C)		not determined	
	Water solubility:		completely miscible	
	(at 20 °C)			
	Solubility in other solvents not determined			
	Partition coefficient n-octanol/water:		not applicable	
	Vapour pressure:		not applicable not determined	
	Density (at 20 °C):		1,08 g/cm <sup>3</sup>	
	Relative density:		not determined	
	Relative vapour density:		not determined	
	Particle characteristics:		not relevant	
9	2. Other information			
<u>v</u>				
	Other safety characteristics Viscosity / dynamic:		< 10 mPa·s	(50.1/c)
	(at 25 °C)		> IV IIIF d'S	(00 1/3)
	(4:20 0)			

No information available.

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Corrosive to metals.

according to Regulation (EC) No 1907/2006

# Bucasan®+ Intense

Revision date: 28.11.2024

P922

Page 6 of 11

d

Exothermic reaction with: Alkali (lye)

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

Corrosive to metals.

Exothermic reaction with: Alkali (lye)

# 10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

# 10.5. Incompatible materials

Corrosive to metals. Alkali (lye)

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

## **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
77-92-9	citric acid					
	oral	LD50 mg/kg	5400	Mouse		
	dermal	LD50 mg/kg	> 2000	Rat		
75-75-2	Methanesulphonic acid			-		
	oral	LD50 mg/kg	649	Rat	ECHA	OECD 401
	dermal	LD50 mg/kg	> 1000	Rabbit	ECHA	OECD 402
26183-52-8	Decan-1-ol, ethoxylated					
	oral	LD50 mg/kg	500	Rat		
	dermal	LD50 mg/kg	> 2000	Rat		

## Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage. Serious eye damage/eye irritation: Causes serious eye damage.

berious eye damage/eye irritation: Causes serious eye damage.

# Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

# Bucasan®+ Intense Revision date: 28.11.2024 P922 Page 7 of 11 STOT-single exposure

Based on available data, the classification criteria are not met.

## Based on available data, the classification criteria are not met.

STOT-repeated exposure

Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### Other information

No information available.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name	Chemical name					
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
75-75-2	Methanesulphonic acid	Methanesulphonic acid					
	Acute fish toxicity	LC50	73 mg/l		Oncorhynchus mykiss (Rainbow trout)	ECHA	OECD 203
	Acute algae toxicity	ErC50 mg/l	12 - 24		Pseudokirchneriella subcapitata	ECHA	OECD 201
	Acute crustacea toxicity	EC50	70 mg/l		Daphnia magna (Big water flea)	ECHA	OECD 202
26183-52-8	Decan-1-ol, ethoxylated						
	Acute algae toxicity	ErC50 mg/l	19,6	72 h			OECD 201
	Acute crustacea toxicity	EC50 mg/l	15,0	48 h			OECD 202

# 12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation						
77-92-9	citric acid						
	OECD 301 B	> 60 %	28				
	Readily biodegradable (according to OECD criteria).						
75-75-2	Methanesulphonic acid		_				
	OECD 301 A	> 70 %	28				
	Readily biodegradable (according to OECD criteria).						
26183-52-8	Decan-1-ol, ethoxylated	Decan-1-ol, ethoxylated					
	@00000000020 B > 60 % 28						
	Readily biodegradable (according to OECD criteria).						

# 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
77-92-9	citric acid	-1,55
75-75-2	Methanesulphonic acid	-2,38

ta

pla

according to Regulation (EC) No 1907/2006

# Bucasan®+ Intense

Revision date: 28.11.2024

P922

Page 8 of 11

# 12.4. Mobility in soil

The product has not been tested.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

## **Disposal recommendations**

Dispose of waste according to applicable legislation. Delivery to an approved waste disposal company.

# List of Wastes Code - residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors; hazardous waste

## List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

## Contaminated packaging

Non-contaminated packages may be recycled.

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number or ID number:	UN 3265
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Methanesulphonic
	acid)
<u>14.3. Transport hazard class(es):</u>	8
14.4. Packing group:	III
Hazard label:	8
	8
Classification code:	C3
Special Provisions:	274
Limited quantity:	5 L
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 3265
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Methanesulphonic
	acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8

according to Regulation (EC) No 1907/2006



Revision date: 28.11.2024	Bucasan®+ Intense P922	Page 9 of 11
	B A A A A A A A A A A A A A A A A A A A	
Classification code: Special Provisions: Limited quantity:	C3 274 5 L	
Marine transport (IMDG) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label:	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (methanesulfonic 8 III 8	acid)
Marine pollutant: Special Provisions: Limited quantity: EmS: Segregation group:	no 223, 274 5 L F-A, S-B 1 - acids	
Air transport (ICAO-TI/IATA-DGR) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label:	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (methanesulfonic 8 III 8	acid)
Special Provisions: Limited quantity Passenger: IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	A3 A803 1 L 852 5 L 856 60 L	
14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user         No special measures are necessary.         14.7. Maritime transport in bulk according to not applicable		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental requ EU regulatory information Restrictions on use (REACH, annex XVII) Entry 3, Entry 75 Directive 2010/75/EU on industrial	alations/legislation specific for the substance or mixture	

emissions:

according to Regulation (EC) No 1907/2006

	Bucasan®+ Intense	
Revision date: 28.11.2024	P922	Page 10 of 11

# Additional information

Water hazard class (D):

Regulation (EC) No. 648/2004 [Detergents regulation]

National regulatory information

1 - slightly hazardous to water

## 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 7,9,15.

# Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12: PROC 1: Use in closed processes. PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 4: Chemical production where opportunity for exposure arises

PROC 7: Industrial spraying

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection

## Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

# **Further Information**

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9 (1)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be



according to Regulation (EC) No 1907/2006

# Bucasan®+ Intense

Revision date: 28.11.2024

P922

Page 11 of 11

transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)