

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Laundry Strong

L831

Revision date: 18.01.2023

Page 1 of 9

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Buz® Laundry Strong

UFI: 2U70-70MQ-K009-1T48

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

EuPCS: PC-DET-2.1 Detergency boosters and in-wash stain removers

Process categories [PROC]: 1, 2, 8, 9

Restricted to professional users.

#### 1.3. Details of the supplier of the safety data sheet

Company name: BUZIL-WERK Wagner GmbH & Co. KG  
Street: Fraunhofer Str. 17  
Place: D-87700 Memmingen  
Telephone: +49 (0) 8331 930-6  
Telefax: +49 (0) 8331 930-880  
e-mail: info@buzil.de  
Contact person: info@buzil.de  
Internet: www.buzil.com

**1.4. Emergency telephone number:** +49 (0) 8331 930-6 (08:00 - 16:00 h)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Regulation (EC) No 1272/2008

Met. Corr. 1; H290

Skin Corr. 1B; H314

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

##### Regulation (EC) No 1272/2008

##### Hazard components for labelling

Potassium hydroxide

**Signal word:** Danger

##### Pictograms:



##### Hazard statements

H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.

##### Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Laundry Strong

L831

Revision date: 18.01.2023

Page 2 of 9

### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
1312-76-1	Potassium silicate			20 - < 25 %
	215-199-1		01-2119456888-17	
	Met. Corr. 1, Skin Corr. 1B, Eye Dam. 1, STOT SE 3; H290 H314 H318 H335			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
1312-76-1	215-199-1	Potassium silicate	20 - < 25 %	
	inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg Skin Corr. 1B; H314: >= 50 - 100 Skin Irrit. 2; H315: >= 33 - < 50 Eye Dam. 1; H318: >= 38 - 100 Eye Irrit. 2; H319: >= 33 - < 38			

#### Labelling for contents according to Regulation (EC) No 648/2004

< 5 % polycarboxylates, < 5 % phosphonates.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Remove contaminated, saturated clothing immediately.

#### After inhalation

Provide fresh air.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Water spray jet

alcohol resistant foam

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Laundry Strong

L831

Revision date: 18.01.2023

Page 3 of 9

Carbon dioxide  
Extinguishing powder

### Unsuitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:  
Carbon dioxide  
Carbon monoxide

### 5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Use personal protection equipment.  
Avoid contact with skin, eyes and clothes.

#### For non-emergency personnel

Ventilate affected area.

#### For emergency responders

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.  
Do not allow to enter into soil/subsoil.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Collect in closed and suitable containers for disposal.  
Ventilate affected area.

### 6.4. Reference to other sections

Personal protection equipment: see section 8  
Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin, eyes and clothes.  
Do not mix with other chemicals.  
Use personal protection equipment.  
When using do not eat, drink or smoke.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Take off contaminated clothing.  
Wash hands before breaks and after work.  
When using do not eat, drink or smoke.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Laundry Strong

Revision date: 18.01.2023

L831

Page 4 of 9

### Further information on handling

No further relevant information available.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

#### Hints on joint storage

No special measures are necessary.

#### Further information on storage conditions

No further relevant information available.

### 7.3. Specific end use(s)

Laundry detergents

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Additional advice on limit values

No information available.

### 8.2. Exposure controls



#### Appropriate engineering controls

No information available.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Wear eye/face protection. (EN 166)

##### Hand protection

Wear suitable gloves. (EN 374, Breakthrough time: >10 min.)

Suitable material: NBR (Nitrile rubber).

Thickness of the glove material  $\geq 0,1$  mm

A survey of suitable brands with detailed information on breakthrough times is available upon request.

Diluted ready-to-use solutions  $\leq 1\%$ :

Protective gloves may be waived, if equivalent measures allowing for an increased skin stress because of wet work are implemented (e. g. application of suitable skin protecting creams).

##### Skin protection

Wear suitable work clothing.

##### Respiratory protection

Usually no personal respirative protection necessary.

##### Thermal hazards

No further relevant information available.

##### Environmental exposure controls

Section 6: Accidental Release Measures

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:

Liquid

# Safety Data Sheet



according to Regulation (EC) No 1907/2006

## Buz® Laundry Strong

L831

Revision date: 18.01.2023

Page 5 of 9

Colour: colourless - light yellow  
Odour: characteristic

### Test method

Melting point/freezing point:	approx. 0 °C
Boiling point or initial boiling point and boiling range:	approx. 100 °C
Flammability	
Solid/liquid:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	not applicable
Auto-ignition temperature:	not determined
Decomposition temperature:	not applicable
pH-Value (at 20 °C):	13,0 - 14,0
Viscosity / kinematic: (at 40 °C)	not determined
Water solubility: (at 20 °C)	completely miscible
Solubility in other solvents	
not determined	
Partition coefficient n-octanol/water:	not applicable
Vapour pressure:	not determined
Density (at 20 °C):	1,24 g/cm <sup>3</sup>
Relative density:	not determined
Relative vapour density:	not determined
Particle characteristics:	not relevant

### 9.2. Other information

#### Other safety characteristics

Viscosity / dynamic:  
(at 25 °C) < 10 mPa·s (50 1/s)

No information available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Corrosive to metals.  
Exothermic reaction with: Acid

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Corrosive to metals.  
Exothermic reaction with: Acid

### 10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

### 10.5. Incompatible materials

Corrosive to metals.  
Acid

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: Toxicological information

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Laundry Strong

L831

Revision date: 18.01.2023

Page 6 of 9

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1312-76-1	Potassium silicate				
	oral	LD50 >2000 mg/kg	Rat	ATE	
	dermal	LD50 >2000 mg/kg	Rat	ATE	
	inhalation dust/mist	LC50 >5 mg/l	Rat	ATE	

#### Irritation and corrosivity

Causes severe skin burns and eye damage.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### Other information

No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
1312-76-1	Potassium silicate					
	Acute fish toxicity	LC50 >1 mg/l	96 h			
	Acute algae toxicity	ErC50 >1 mg/l				
	Acute crustacea toxicity	EC50 >1 mg/l	48 h			

### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Laundry Strong

L831

Revision date: 18.01.2023

Page 7 of 9

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Dispose of waste according to applicable legislation.  
Delivery to an approved waste disposal company.

##### List of Wastes Code - residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors; hazardous waste

##### List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

##### Contaminated packaging

Non-contaminated packages may be recycled.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

**14.1. UN number or ID number:** UN 1814  
**14.2. UN proper shipping name:** POTASSIUM HYDROXIDE SOLUTION  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
Hazard label: 8



Classification code: C5  
Limited quantity: 5 L  
Transport category: 3  
Hazard No: 80  
Tunnel restriction code: E

#### Inland waterways transport (ADN)

**14.1. UN number or ID number:** UN 1814  
**14.2. UN proper shipping name:** POTASSIUM HYDROXIDE SOLUTION  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
Hazard label: 8



Classification code: C5  
Limited quantity: 5 L

#### Marine transport (IMDG)

**14.1. UN number or ID number:** UN 1814  
**14.2. UN proper shipping name:** POTASSIUM HYDROXIDE SOLUTION  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
Hazard label: 8

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Laundry Strong

L831

Revision date: 18.01.2023

Page 8 of 9



Marine pollutant: no  
Special Provisions: 223  
Limited quantity: 5 L  
EmS: F-A, S-B

### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** UN 1814  
**14.2. UN proper shipping name:** POTASSIUM HYDROXIDE SOLUTION  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
Hazard label: 8



Special Provisions: A3 A803  
Limited quantity Passenger: 1 L  
IATA-packing instructions - Passenger: 852  
IATA-max. quantity - Passenger: 5 L  
IATA-packing instructions - Cargo: 856  
IATA-max. quantity - Cargo: 60 L

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### 14.6. Special precautions for user

No special measures are necessary.

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

2010/75/EU (VOC): 0 %

#### Additional information

Regulation (EC) No. 648/2004 [Detergents regulation]

#### National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Changes

This data sheet contains changes from the previous version in section(s): 1,2,7,9,10,15.

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)



# Safety Data Sheet



according to Regulation (EC) No 1907/2006

## Buz® Laundry Strong

L831

Revision date: 18.01.2023

Page 9 of 9

IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.

PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 4: Chemical production where opportunity for exposure arises

PROC 7: Industrial spraying

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection

### Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

### Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9 (1)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*