

according to Regulation (EC) No 1907/2006

Corridor® Jewel Page 1 of 9 SECTION 1: Identification of the substance/mixture and of the company/undertaking Corridor® Jewel Corridor® Jewel Corridor® Jewel Corridor® Jewel Corridor® Jewel Corridor® Jewel Corridor® Jewel Corridor® Jewel UF: G 250-W02R-F00U-1A8F I.3. Relevant identified uses of the substance or mixture and uses advised against Uses of the substance/mixture EuPCS: PC-CLN-13.2 Floor care products e.g. waxes, emulsions process categories [PPOC]: 10 Restricted to professional users. 1.3. Details of the supplier of the sufet at sheet Company name: BUZIL WERK Wagner GmbH & Co. KG Street: Fraunhofer Str. 17 Place: D-87700 Memmingen Erephone: Ereption: Info@buzil.de Internet: www.buzil.com ECTION 2: Hazards identific: StorTON 2: Hazards identific: Storton 4: Hazards identific:						
SECTION 1: Identification of the substance/mixture and of the company/undertaking SECTION 1: Identification of the substance/mixture and uses advised against UF: G2S0-W02R-F00U-1A8F Section of the substance or mixture and uses advised against Use of the substance/mixture EuPCS: PC-CLN-13.2 Floor care products e.g. waxes, emulsions Process categories [PROC]: 10 Restricted to professional users. All Details of the supplier of the safety data sheet Company name: BUZIL-WERK Wagner GmbH & Co. KG Street: Fraunhofer Str. 17 Place: D-87700 Memmingen Telephone: +49 (0) 8331 930-6 ETTION 2: Hazards identification 2.1. Classification of the substance or mixture Regulation (EC) No 1272/2008 Skin Sens. 1; H317 Full text of hazard statements: see SECTION 16. 2.1. Label elements Regulation (EC) No 1272/2008 Kazard components for labelling	Corridor® Jewel					
1.1. Product identifier Corridor® Jewel UFI: G2S0-W02R-F00U-1A8F 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture EuPCS: PC-CLN-13.2 Floor care products e.g. waxes, emulsions Process categories [PROC]: 10 Restricted to professional users. 1.3. Details of the supplier of the safety data sheet Company name: BUZIL-WERK Wagner GmbH & Co. KG Street: Place: D-87700 Memmingen Telephone: +49 (0) 8331 930-6 Contact person: Telephone: +49 (0) 8331 930-6 E-mail: Telefax: +49 (0) 8331 930-880 E-mail: info@buzil.de Contact person: Telefax: +49 (0) 8331 930-880 E-mail: info@buzil.de Internet: www.buzil.com 1.4. Emergency telephone rumber: +49 (0) 8331 930-6 (08:00 - 16:00 h) 14.9 (0) 8331 930-6 (08:00 - 16:00 h) SECTION 2: Hazards identification Ecure or mixture Regulation (EC) No 1272/2008 Skin Sens. 1; H317 Full text of hazard statements: see SECTION 16. 2.1. Label elements Regulation (EC) No 1272/2008 Hazard components for labelling Ecure No	Revision date: 08.05.2025	S741		Page 1 of 9		
1.1. Product identifier Corridor® Jewel UFI: G2S0-W02R-F00U-1A8F 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture EuPCS: PC-CLN-13.2 Floor care products e.g. waxes, emulsions Process categories [PROC]: 10 Restricted to professional users. 1.3. Details of the supplier of the safety data sheet Company name: BUZIL-WERK Wagner GmbH & Co. KG Street: Place: D-87700 Memmingen Telephone: +49 (0) 8331 930-6 UVIL/UERK Wagner GmbH & Co. KG E-mail: info@buzil.de Contact person: info@buzil.de Info@buzil.de Internet: 1.4. Emergency telephone mumber: +49 (0) 8331 930-6 (08:00 - 16:00 h) SECTION 2: Hazards identification 21. Classification of the substance or mixture Regulation (EC) No 1272/2008 Skin Sens. 1; H317 Full text of hazard statements: see SECTION 16. 22. Label elements Regulation (EC) No 1272/2008 Hazard components for labelling						
Corridor® Jewel UFI: G2SO-W02R-F00U-1A8F 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture EuPCS: PC-CLN-13.2 Floor care products e.g. waxes, emulsions Process categories [PROC]: 10 Restricted to professional users. 1.3. Details of the supplier of the safety data sheet Company name: BUZIL-WERK Wagner GmbH & Co. KG Street: Fraunhofer Str. 17 Place: D-87700 Memmingen Telephone: +49 (0) 8331 930-6 Telefax: +49 (0) 8331 930-880 E-mail: info@buzil.de Contact person: info@buzil.de Internet: www.buzil.com 1.4. Emergency telephone +49 (0) 8331 930-6 (08:00 - 16:00 h) EECTION 2: Hazards identification 2.1. Classification of the substance or mixture Regulation (EC) No 1272/2008 Kin Sens. 1; H317 Full text of hazard statements: see SECTION 16. 2.1. Label elements Regulation (EC) No 1272/2008 Hazard components for labelling	SECTION 1: Identification of th	e substance/mixture and o	of the company/undertaking			
UFI: G2S0-W02R-F00U-1A8F I.S. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture EuPCS: PC-CLN-13.2 Floor care products e.g. waxes, emulsions Process categories [PROC]: 10 Process categories [PROC]: 10 Restricted to professional users. I.S. Details of the supplier of the safety data sheet Company name: BUZIL-WERK Wagner GmbH & Co. KG Street: Fraunhofer Str. 17 Place: D-87700 Memmingen Telephone: +49 (0) 8331 930-6 E-mail: info@buzil.de Contact person: info@buzil.de Internet: www.buzil.com SECTUN 2: Hazards identification Hay of the substance or mixture Regulation (EC) No 1272/2008 Skin Sens. 1; H317 Full text of hazard statements: see SECTION 16. SLabel elements Regulation (EC) No 1272/2008 Regulation (EC) No 1272/2008 Regulation (EC) No 1272/2008						
1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture EuPCS: PC-CLN-13.2 Floor carry products e.g. waxes, emulsions process categories [PROC]: 10 Restricted to professional users. 1.3. Details of the supplier of the safety data sheet Company name: BUZIL-WERK Wagner GmbH & Co. KG Street: Fraunhofer Str. 17 Place: D-87700 Memmingen Telephone: +49 (0) 8331 930-6 E-mail: info@buzil.de Contact person: info@buzil.de Contact person: info@buzil.de Internet: www.buzil.com SECTION 2: Hazards identification Hazards identification Regulation (EC) No 1272/2008 Skin Sens. 1; H317 Full text of hazard statements: see SECTION 16. SL-Label elements Regulation (EC) No 1272/2008 Regulation (EC) No 1272/2008 Regulation (EC) No 1272/2008						
Use of the substance/mixture EuPCS: PC-CLN-13.2 Floor care products e.g. waxes, emulsions Process categories [PROC]: 10 Restricted to professional users. 13. Details of the supplier of the safety data sheet Company name: BUZIL-WERK Wagner GmbH & Co. KG Street: Fraunhofer Str. 17 Place: D-87700 Memmingen Telephone: +49 (0) 8331 930-6 E-mail: info@buzil.de Contact person: info@buzil.de Internet: www.buzil.com 14. Emergency telephone. +49 (0) 8331 930-6 (08:00 - 16:00 h) SECTION 2: Hazards identification 21. Classification of the substance or mixture Regulation (EC) No 1272/2008 Skin Sens. 1; H317 Ful text of hazard statements: see SECTION 16. 22. Label elements Regulation (EC) No 1272/2008 Hazard components for labelling	UFI:	G2S0-W02R-F00U-1A8F				
EuPCS: PC-CLN-13.2 Floor care products e.g. waxes, emulsions Process categories [PROC]: 10 Restricted to professional users. 1.3. Details of the supplier of the safety data sheet Company name: BUZIL-WERK Wagner GmbH & Co. KG Street: Fraunhofer Str. 17 Place: D-87700 Memmingen Telephone: +49 (0) 8331 930-6 Telephone: +49 (0) 8331 930-6 Telefax: +49 (0) 8331 930-880 E-mail: info@buzil.de Internet: www.buzil.com 1.4. Emergency telephone number: +49 (0) 8331 930-6 (08:00 - 16:00 h) +49 (0) 8331 930-6 (08:00 - 16:00 h) SECTION 2: Hazards identification String S	1.2. Relevant identified uses of the	e substance or mixture and u	<u>ises advised against</u>			
Process categories [PROC]: 10 Restricted to professional users. 1.3. Details of the supplier of the safety data sheet Company name: BUZIL-WERK Wagner GmbH & Co. KG Street: Frauhofer Str. 17 Place: D-87700 Memmingen Telephone: +49 (0) 8331 930-6 Telefax: +49 (0) 8331 930-880 E-mail: info@buzil.de Contact person: info@buzil.de Internet: www.buzil.com 1.4. Emergency telephone number: +49 (0) 8331 930-6 (08:00 - 16:00 h) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Regulation (EC) No 1272/2008 Skin Sens. 1; H317 Full text of hazard statements: see SECTION 16. 2.2. Label elements Regulation (EC) No 1272/2008 Hazard components for labelling						
Restricted to professional users. 1.3. Details of the supplier of the safety data sheet Company name: BUZIL-WERK Wagner GmbH & Co. KG Street: Fraunhofer Str. 17 Place: D-87700 Memmingen Telephone: +49 (0) 8331 930-6 E-mail: info@buzil.de Contact person: info@buzil.de Internet: www.buzil.com 1.4. Emergency telephone +49 (0) 8331 930-6 (08:00 - 16:00 h) SECTION 2: Hazards identification stateet statements: see SECTION 16:00 h) SECTION 2: Hazards identification gauguation (EC) No 1272/2008 Skin Sens. 1; H317 Full text of hazard statements: see SECTION 16. 2.2. Label elements Regulation (EC) No 1272/2008 Regulation (EC) No 1272/2008 Hazard components for labelling			ions			
Company name:BUZIL-WERK Wagner GmbH & Co. KGStreet:Fraunhofer Str. 17Place:D-87700 MemmingenTelephone:+49 (0) 8331 930-6E-mail:info@buzil.deContact person:info@buzil.deInternet:www.buzil.com+49 (0) 8331 930-6 (08:00 - 16:00 h)SECTION 2: Hazards identification <th< td=""><th></th><td></td><td></td><td></td></th<>						
Company name:BUZIL-WERK Wagner GmbH & Co. KGStreet:Fraunhofer Str. 17Place:D-87700 MemmingenTelephone:+49 (0) 8331 930-6Telephone:+49 (0) 8331 930-6E-mail:info@buzil.deContact person:info@buzil.deInternet:www.buzil.comSECTION 2: Hazards identificationSECTION 2: Hazards identificationSECTION 2: Hazards identificationSECTION 16: O h)Full text of hazard statements: see SECTION 16.2.1. Label elementsRegulation (EC) No 1272/2008 Skin Sens. 1; H317Full text of hazard statements: see SECTION 16.2.2. Label elementsRegulation (EC) No 1272/2008 Hazard components for labelling	·					
Street: Fraunhofer Str. 17 Place: D-87700 Memmingen Telephone: +49 (0) 8331 930-6 Telephone: +49 (0) 8331 930-6 E-mail: info@buzil.de Contact person: info@buzil.de Internet: www.buzil.com SECTION 2: Hazards identification SECTION 2: Hazards identification SECTION 16: SECTION 2: Hazards identification Full text of hazard statements: see SECTION 16. 2.1. Label elements Regulation (EC) No 1272/2008 Skin Sens. 1; H317 Full text of hazard statements: see SECTION 16. 2.2. Label elements Regulation (EC) No 1272/2008 Hazard components for labelling						
Place:D-87700 MemmigenTelephone:+49 (0) 8331 930-6Telefax: +49 (0) 8331 930-880E-mail:info@buzil.deContact person:info@buzil.deInternet:www.buzil.com1.4. Emergency telephone number:+49 (0) 8331 930-6 (08:00 - 16:00 h)SECTION 2: Hazards identificationSECTION 2: Hazards identificationSECTION 2: Hazards identificationSECTION 2: Hazards identificationSECTION 16: 00 h)SECTION 12: Hazards identificationSECTION 12: Hazards identificationSECTION 12: Hazards identificationSECTION 12: Hazards identificationSECTION 16: 00 h)Full text of hazard statements: see SECTION 16.SECTION 16: 00 h)Full text of hazard statements: see SECTION 16.SECTION 16: 00 h)Algo algo algo algo algo algo algo algo a		0				
Telephone:+49 (0) 8331 930-6Telefax: +49 (0) 8331 930-880E-mail:info@buzil.deContact person:info@buzil.deInternet:www.buzil.com1.4. Emergency telephone number:+49 (0) 8331 930-6 (08:00 - 16:00 h)SECTION 2: Hazards identificationsectron 2: Hazards identification of the substance or mixtureRegulation (EC) No 1272/2008 Skin Sens. 1; H317Full text of hazard statements: se SECTION 16.2.1. Label elementsRegulation (EC) No 1272/2008 Hazard components for labelling						
E-mail: info@buzil.de Contact person: info@buzil.de Internet: www.buzil.com 1.4. Emergency telephone number: +49 (0) 8331 930-6 (08:00 - 16:00 h) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Regulation (EC) No 1272/2008 Skin Sens. 1; H317 Full text of hazard statements: see SECTION 16. 2.2. Label elements Regulation (EC) No 1272/2008 Hazard components for labelling	Telephone:	-	Telefax: +49 (0) 8331 930-880			
Internet: www.buzil.com 1.4. Emergency telephone number: +49 (0) 8331 930-6 (08:00 - 16:00 h) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Regulation (EC) No 1272/2008 Skin Sens. 1; H317 Full text of hazard statements: see SECTION 16. 2.2. Label elements Regulation (EC) No 1272/2008 Hazard components for labelling	-	()	()			
1.4. Emergency telephone number: +49 (0) 8331 930-6 (08:00 - 16:00 h) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Regulation (EC) No 1272/2008 Skin Sens. 1; H317 Full text of hazard statements: see SECTION 16. 2.2. Label elements Regulation (EC) No 1272/2008 Hazard components for labelling	Contact person:	info@buzil.de				
number: +49 (0) 8331 930-8 (08.00 - 18.00 h) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Regulation (EC) No 1272/2008 Skin Sens. 1; H317 Full text of hazard statements: see SECTION 16. 2.2. Label elements Regulation (EC) No 1272/2008 Hazard components for labelling	Internet:	www.buzil.com				
2.1. Classification of the substance or mixture Regulation (EC) No 1272/2008 Skin Sens. 1; H317 Full text of hazard statements: see SECTION 16. 2.2. Label elements Regulation (EC) No 1272/2008 Hazard components for labelling		+49 (0) 8331 930-6 (08:00 - 7	16:00 h)			
Regulation (EC) No 1272/2008 Skin Sens. 1; H317 Full text of hazard statements: see SECTION 16. 2.2. Label elements Regulation (EC) No 1272/2008 Hazard components for labelling	SECTION 2: Hazards identificat	tion				
Regulation (EC) No 1272/2008 Skin Sens. 1; H317 Full text of hazard statements: see SECTION 16. 2.2. Label elements Regulation (EC) No 1272/2008 Hazard components for labelling	2.1. Classification of the substanc	e or mixture				
Skin Sens. 1; H317 Full text of hazard statements: see SECTION 16. 2.2. Label elements Regulation (EC) No 1272/2008 Hazard components for labelling		<u> </u>				
2.2. Label elements Regulation (EC) No 1272/2008 Hazard components for labelling	,					
2.2. Label elements Regulation (EC) No 1272/2008 Hazard components for labelling						
Regulation (EC) No 1272/2008 Hazard components for labelling		e Section 10.				
Hazard components for labelling						
		~				
ביוערכי עופט וומלטרפובר דבטורק. וערכי וערט וטוט ומלטוויוטייק	-	-				
Signal word: Warning		-				
Pictograms:	•					
	i iotogi annoi					
Hazard statements	Hazard statements	-				
Precautionary statements		an allergic skin reaction.				

,	
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients



according to Regulation (EC) No 1907/2006

Corridor® Jewel

Revision date: 08.05.2025	S741	Page 2 of 9
		Ŭ

CAS No	Chemical name	Quantity			
	EC No	REACH No			
	Classification (Regulation (EC)	No 1272/2008)			
2682-20-4	2-Methylisothiazol-3(2H)-one			< 0.1 %	
	220-239-6	613-326-00-9			
	Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H311 H301 H314 H318 H317 H400 H410 EUH071				
55965-84-9	9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)				
	611-341-5	613-167-00-5			
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Quantity			
	Specific Cor	nc. Limits, M-factors and ATE			
2682-20-4	220-239-6	2-Methylisothiazol-3(2H)-one	< 0.1 %		
	inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50 = 300 mg/kg; oral: LD50 = 100 mg/kg Skin Sens. 1A; H317: >= 0,0015 - 100 Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1				
55965-84-9	i-84-9 611-341-5 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		< 0.0015 %		
	inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: ATE = 50 mg/kg; oral: ATE = 100 mg/kg Skin Corr. 1C; H314: >= 0,6 - 100 Skin Irrit. 2; H315: >= 0,06 - < 0,6 Eye Dam. 1; H318: >= 0,6 - 100 Eye Irrit. 2; H319: >= 0,06 - < 0,6 Skin Sens. 1A; H317: >= 0,0015 - 100 Aquatic Acute 1; H400: M=100 Aquatic Chronic 1; H410: M=100				

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

<u>4.3. Indication of any immediate medical attention and special treatment needed</u> Treat symptomatically.



according to Regulation (EC) No 1907/2006

Corridor® Jewel

Revision date: 08.05.2025

S741

Page 3 of 9

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet alcohol resistant foam Carbon dioxide Extinguishing powder

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon dioxide Carbon monoxide

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Use personal protection equipment. Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

Other information

Collect in closed and suitable containers for disposal. Ventilate affected area.

6.4. Reference to other sections

Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothes. Do not mix with other chemicals. Use personal protection equipment. When using do not eat or drink.

Advice on protection against fire and explosion

according to Regulation (EC) No 1907/2006

Corridor® Jewel

Revision date: 08.05.2025	S741	Page 4 of 9

No special fire protection measures are necessary.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Further information on handling

Product: Do not allow to enter into surface water or drains. Product residues: Delivery to an approved waste disposal company.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

Further information on storage conditions

No further relevant information available.

7.3. Specific end use(s)

Floor care products e.g. waxes, emulsions

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

No information available.

8.2. Exposure controls



Appropriate engineering controls

No information available.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection. (EN 166)

Hand protection

Wear suitable gloves. (EN 374, Category III)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Suitable material: NBR (Nitrile rubber) / Thickness of the glove material > 0,1 mm

Skin protection

Wear suitable work clothing.

Respiratory protection

Usually no personal respirative protection necessary.

Thermal hazards

No further relevant information available.

Environmental exposure controls

Section 6: Accidental Release Measures

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Liquid

Physical state:



according to Regulation (EC) No 1907/2006

	Co	rridor® Jewel		
Revision date: 08.05.2025		S741	Pa	age 5 of 9
Colour:	white			
Odour:	Perfumes, fragra	ances		
	-		Test method	
Melting point/freezing point:		approx. 0		
Boiling point or initial boiling point boiling range:	and	approx. 100 °C		
Flammability:		not applicable		
Lower explosion limits:		not determined		
Upper explosion limits:		not determined		
Flash point:		not applicable		
Auto-ignition temperature:		not determined		
Decomposition temperature:		not applicable		
pH-Value (at 20 °C):		7,0 - 8,0		
Viscosity / kinematic (at 40 °C):		not determined		
Water solubility (at 20 °C):		miscible		
Solubility in other solvents not determined				
Partition coefficient n-octanol/wate	ər.	not applicable		
Vapour pressure:		not determined		
Density (at 20 °C):		1,03 g/cm ³		
Relative density:		not determined		
Relative vapour density:		not determined		
Particle characteristics:		not relevant		
9.2. Other information				
Other safety characteristics				
Viscosity / dynamic (at 25 °C):		< 10 mPa⋅s	(50 1/s)	
Further Information			•	
No information available.				
SECTION 10: Stability and read	tivity			

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated



according to Regulation (EC) No 1907/2006

Corridor® Jewel

S741

Page 6 of 9

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	Dose	Species	Source	Method		
2682-20-4	2-Methylisothiazol-3(2H)-one						
	oral	LD50 100 mg/kg	Rat	ATE			
	dermal	LD50 300 mg/kg	Rat	ATE			
	inhalation vapour	ATE 0,5 mg/l					
	inhalation dust/mist	ATE 0,05 mg/l					
55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)						
	oral	ATE 100 mg/kg					
	dermal	ATE 50 mg/kg					
	inhalation vapour	ATE 0,5 mg/l					
	inhalation dust/mist	ATE 0,05 mg/l					

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (2-Methylisothiazol-3(2H)-one; reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1))

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Other information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h][[d]	Species	Source	Method
2682-20-4	2-Methylisothiazol-3(2	2H)-one				
	Fish toxicity	NOEC 2,38 mg/l	28 d	Pimephales promelas (fathead minnow)		
	Algae toxicity	NOEC 0,03 mg/l	3 d	Pseudokirchneriella subcapitata		
	Crustacea toxicity	NOEC 0,55 mg/l	21 d	Daphnia magna (Big water flea)		



according to Regulation (EC) No 1907/2006

Corridor® Jewel

Revision date: 08.05.2025	S741	Page 7 of 9
---------------------------	------	-------------

12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
2682-20-4	2-Methylisothiazol-3(2H)-one				
	OECD 301	<60%	28		
	Not readily biodegradable (according to OECD criteria)				

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Delivery to an approved waste disposal company.

List of Wastes Code - residues/unused products

070299 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of plastics, synthetic rubber and man-made fibres; wastes not otherwise specified

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)



according to Regulation (EC) No 1907/2006

according to Regulation (EC) No 1907/2006		
	Corridor® Jewel	
Revision date: 08.05.2025	S741	Page 8 of 9
<u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS	: No	
14.6. Special precautions for user No special measures are necessa	ary.	
14.7. Maritime transport in bulk account	rding to IMO instruments	
not applicable		
SECTION 15: Regulatory informat	ion	
15.1. Safety, health and environmenta	al regulations/legislation specific for the substance or mix	ture
EU regulatory information		
Restrictions on use (REACH, annex	XVII):	
Entry 3, Entry 75 Directive 2010/75/EU on industrial emissions:	4,9 %	
Additional information Regulation (EC) No. 648/2004 [De	etergents regulation]	
National regulatory information	A self-shift has a she and a set as	
Water hazard class (D):	1 - slightly hazardous to water	
15.2. Chemical safety assessment Chemical safety assessments for	substances in this mixture were not carried out.	
SECTION 16: Other information		
Changes This data sheet contains changes	from the previous version in section(s): 2,7,9,15,16.	
Abbreviations and acronyms		
Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Dam: Eye damage Skin Sens: Skin sensitisation Aquatic Acute: Acute aquatic haza Aquatic Chronic: Chronic aquatic	hazard	
	Isport des marchandises dangereuses par Route	

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%



according to Regulation (EC) No 1907/2006

Corridor® Jewel

Revision date: 08.05.2025 S741 Page 9 of 9
--

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.

PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 3: Use in closed batch process (synthesis or formulation)

PROC 7: Industrial spraying

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9 (1)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)